



**Lak Plaster**®  
PITTURE E VERNICI



21042 CARONNO PERTUSELLA (Va) - Via Trieste 285 - Tel. 029650607 - Fax 029659754

www.lakplaster.it - e-mail: info@lakplaster.it

## DATA SHEET

### PREVENLAK ANTIMUFFA- ANTIALGAE

#### WALL WATER-BASED PAINT FOR INTERIOR EXTERIORS

<b>Features</b>	Washable water-based paint for internal and external use with anti-mold - anti-algae action. This makes it advisable <i>Prevenlak</i> for communities, canteens, food industries, all environments where mold can develop due to the presence of high humidity. The product is fireproof and non-toxic.		
<b>Binder</b>	Synthetic copolymer in aqueous emulsion		
<b>Appearance</b>	Opaque		
<b>Washability</b>	After 48 hours. 10,000 Brush Strokes		
<b>Specific weight</b>	1,500 - 1,600 kg / l		
<b>Viscosity at 20 ° C</b>	14,500 - 16,000		
<b>Surrender</b>	<u>Perfect fit</u>	: dilution with water 30% by volume	9 sqm / lt 2 coats
	<u>By roller</u> :	dilution with water 30% by volume	9 sqm / lt 2 coats
	<u>Spray</u>	: dilution with water 40% by volume	14 sqm / lt 1 hand
<b>Color</b>	White.		
<b>Drying</b>	To the touch	: 40 minutes	
	Stacking: 6 hours		
<b>VOC classification</b> (Directive 2004/42 / EC)	: EU limit value for this product (Cat A / a): 30 g / l (2010): This product contains a maximum of 30 g / l VOC		
<b>Usage</b>			
<b>NEW WALLS</b>	: the surfaces must be well dry and free from dust. Treat with Liquid Isolator N / 724 if necessary and apply then <i>PREVENLAK</i> , in two coats, with an interval of at least 4 hours between coats		
<b>OLD WALLS</b>	: If the old paints are inconsistent, chalky, are not anchored, they should be removed from the substrate. If mold formations already appear, it is necessary to treat with bleach, diluted with water 1/10. After drying, brush to remove anything not firmly anchored to the plaster. Tempera paintings should be removed; alternatively, the wall must be insulated with ISOLANTE FISSATIVO N / 724 diluted 1/2, <b>then apply <i>PREVENLAK</i> over the entire surface to be whitened, i.e. it is strongly recommended to treat with <i>PREVENLAK</i> the whole room and not just the part where the mold has appeared.</b>		